

MINIMALITY NOTIONS VIA FACTORIZATION SYSTEMS AND EXAMPLES

THORSTEN WISSMANN 

Radboud University, Nijmegen, The Netherlands
URL: <https://thorsten-wissmann.de>

ABSTRACT. For the minimization of state-based systems (i.e. the reduction of the number of states while retaining the system’s semantics), there are two obvious aspects: removing unnecessary states of the system and merging redundant states in the system. In the present article, we relate the two minimization aspects on coalgebras by defining an abstract notion of minimality.

The abstract notions minimality and minimization live in a general category with a factorization system. We will find criteria on the category that ensure uniqueness, existence, and functoriality of the minimization aspects. The proofs of these results instantiate to those for reachability and observability minimization in the standard coalgebra literature. Finally, we will see how the two aspects of minimization interact and under which criteria they can be sequenced in any order, like in automata minimization.

This is an updated version that fixes a mistake in Figure 10, spotted by Bálint Kocsis.

1. INTRODUCTION

Minimization is a standard task in computer science that comes in different aspects and lead to various algorithmic challenges. The task is to reduce the size of a given system while retaining its semantics, and in general there are two aspects of making the system smaller: 1. merge redundant parts of the system that exhibit the same behaviour (*observability*) and 2. omit unnecessary parts (*reachability*). Hopcroft’s automata minimization algorithm [Hop71] is an early example: in a given deterministic automaton, 1. states accepting the same language are identified and 2. unreachable states are removed. Moreover, Hopcroft’s algorithm runs in quasilinear time; for an automaton with n states, reachability is computed in $\mathcal{O}(n)$ and observability in $\mathcal{O}(n \log n)$.

Since the reachability is a simple depth-first search, it is straightforward to apply it to other system types. On the other hand, it took decades until quasilinear minimization algorithms for observability were developed for other system types such as transition systems [PT87], labelled transition systems [DPP04, Val09], or Markov chains [DHS03, VF10]. Despite their differences in complexity, the aspects of observability and reachability have very much in common when modelling state-based systems as coalgebras. Then, observability is the task to find the greatest coalgebra quotient and reachability is the task of finding

Key words and phrases: Coalgebra, Reachability, Observability, Minimization, Factorization System.
Supported by the NWO TOP project 612.001.852.



the smallest subcoalgebra containing the initial state, or generally, a distinguished point of interest.

In the present article, we define an abstract notion of minimality and minimization in a category with an $(\mathcal{E}, \mathcal{M})$ -factorization system. Such a factorization systems gives rise to a generalized notion of quotients and subobjects. Then, ‘minimization’ is the task of finding the least quotient resp. subobject. To make this general setting applicable to coalgebras, we show that the category of coalgebras inherits the factorization system from the base category under a mild assumption – namely that the functor preserves \mathcal{M} . Dually, if the functor preserves \mathcal{E} , a factorization system also lifts to algebras, and even to the Eilenberg-Moore category.

Then, we will present different characterizations of minimality (Figure 6) and then study properties of minimizations, e.g. under which criteria they exist and are unique, rediscovering the respective proofs for reachability and observability for coalgebras in the literature [AMMS13, Ihr03]. When combining the two minimization aspects, we discuss under which criteria reachability and observability can be computed in arbitrary order.

The goal of the present work is not only to show the connections between existing minimality notions, but also to provide a series of basic results that can be used when developing new minimization techniques or even new notions of minimality.

Related work. There is a series of works [BHK01, BKP12, BBH⁺14, Rot16] that studies the minimization of coalgebras by their duality to algebras. In those works, the correspondence between observability in coalgebras and reachability in algebras is used. For instance, Rot [Rot16] relates the final sequence (for observability in coalgebras) with the initial sequence (for reachability in algebras). In the present paper however, we consider both observability and reachability on an abstract level that work for a general factorization system and discuss their instance in coalgebras.

The present article is an extended version of a conference paper [Wiß21], which itself was based on Chapter 7 of the author’s PhD dissertation [Wiß20]. In the present version, the overall presentation is extended with illustrated examples. Also, the proof of Proposition 3.7 is simpler now.

Structure of the paper. First, preliminary definitions for (co)algebras and factorization systems are recalled (section 2). Then, these two notions are brought together by showing that the factorization system lifts to coalgebras and Eilenberg-Moore algebras under mild assumptions (section 3). Thus, we can define categorical notions of minimality and minimization using only factorization systems, which then also apply to coalgebras (section 4), yielding minimality notions of reachability and observability. We finally investigate their interplay, if coalgebras are minimized under both minimality notions (section 5).

All results that are part of the present work are proven in the main text. For a couple of well-known standard results, we recall the proofs in the appendix for the convenience of the reader.

2. PRELIMINARIES

In the following, we assume basic knowledge of category theory (cf. standard textbooks [AHS09, Awo10]).

Given a diagram $D: \mathcal{D} \rightarrow \mathcal{C}$ (i.e. a functor D from a small category \mathcal{D}), we denote its limit by $\lim D$ and colimit by $\operatorname{colim} D$ – if they exist. The limit projections, resp. colimit injections, are denoted by

$$\operatorname{pr}_i: \lim D \rightarrow Di \quad \operatorname{inj}_i: Di \rightarrow \operatorname{colim} D \quad \text{for } i \in \mathcal{D}.$$

2.1. Coalgebra. We model state-based systems as coalgebras for an endofunctor $F: \mathcal{C} \rightarrow \mathcal{C}$ on a category \mathcal{C} :

Definition 2.1. An F -coalgebra (for an endofunctor $F: \mathcal{C} \rightarrow \mathcal{C}$) is a pair (C, c) consisting of an object C (of \mathcal{C}) and a morphism $c: C \rightarrow FC$ (in \mathcal{C}). An F -coalgebra morphism $h: (C, c) \rightarrow (D, d)$ between F -coalgebras (C, c) and (D, d) is a morphism $h: C \rightarrow D$ with $d \cdot h = Fh \cdot c$.

Intuitively, the *carrier* C of a coalgebra (C, c) is the state space and the morphism $c: C \rightarrow FC$ sends states to their possible next states. The functor of choice F defines how these possible next states FC are structured. Before discussing the role of the F -coalgebra morphisms, let us list what F -coalgebras are for standard examples of functors F :

Example 2.2. Many well-known system-types can be phrased as coalgebras:

- (1) Deterministic automata (without an explicit initial state) are coalgebras for the **Set**-functor $FX = 2 \times X^A$, where A is the set of input symbols. In an F -coalgebra (C, c) , the first component of $c(x)$ denotes the finality of the state $x \in C$ and the second component is the transition function $A \rightarrow C$ of the automaton. An example DFA for $A = \{a, b\}$ is shown in Figure 1a, where the coalgebra map $c: C \rightarrow 2 \times C^{\{a,b\}}$ is defined by:

$$\begin{aligned} c(q) &= (1, (a \mapsto p, b \mapsto r)) & c(p) &= (1, (a \mapsto p, b \mapsto r)) \\ c(s) &= (1, (a \mapsto q, b \mapsto r)) & c(r) &= (0, (a \mapsto p, b \mapsto r)) \end{aligned}$$

In general, the carrier of a coalgebra is not required to be finite; the carrier C may be an arbitrary set.

- (2) Labelled transition systems are coalgebras for the **Set**-functor $FX = \mathcal{P}(A \times X)$. Coalgebras for the powerset functor $FX = \mathcal{P}X$ are transition systems (i.e. for a singleton label set). An example of a \mathcal{P} -coalgebra is illustrated in Figure 1b; here, the coalgebra structure $c: C \rightarrow \mathcal{P}C$ is defined by:

$$c(q) = \{p, r, s\} \quad c(p) = \{p, r\} \quad c(s) = \{r\} \quad c(r) = \emptyset$$

The successor structures are not ordered, so $\{p, r\}$ and $\{r, p\}$ are the same successor structure.




FIGURE 1. Examples of F -coalgebras for different **Set**-functors F

- (3) Weighted systems with weights in a commutative monoid $(M, +, 0)$ (and finite branching) are coalgebras for the *monoid-valued functor* [GS01, Def. 5.1] $M^{(-)}: \mathbf{Set} \rightarrow \mathbf{Set}$ by

$$M^{(X)} = \{\mu: X \rightarrow M \mid \mu(x) = 0 \text{ for all but finitely many } x \in X\}$$

which sends a map $f: X \rightarrow Y$ to the map

$$M^{(f)}: M^{(X)} \rightarrow M^{(Y)} \quad M^{(f)}(\mu)(y) = \sum \{\mu(x) \mid x \in X, f(x) = y\}.$$

In an $M^{(-)}$ -coalgebra (C, c) , the transition weight from state $x \in C$ to $y \in C$ is given by $c(x)(y) \in M$, and a weight of 0 means that there is no transition. E.g. one obtains real-valued weighted systems as coalgebras for the functor $(\mathbb{R}, +, 0)^{(-)}$. Figure 1c illustrates a coalgebra $c: C \rightarrow (\mathbb{R}, +, 0)^{(C)}$ that is defined by:

$$\begin{aligned} c(q) &= (q \mapsto 0, \quad p \mapsto -2, \quad r \mapsto 0, \quad s \mapsto 3) \\ c(p) &= (q \mapsto 2, \quad p \mapsto 0, \quad r \mapsto 3, \quad s \mapsto 0) \\ c(r) &= (q \mapsto 0, \quad p \mapsto 0, \quad r \mapsto 0, \quad s \mapsto 1) \\ c(s) &= (q \mapsto 5, \quad p \mapsto 0, \quad r \mapsto 0, \quad s \mapsto 0) \end{aligned}$$

- (4) The *bag* functor is defined by $\mathcal{B}X = (\mathbb{N}, +, 0)^{(X)}$. Equivalently, $\mathcal{B}X$ is the set of finite multisets on X . Its coalgebras can be viewed as weighted systems (i.e. via the submonoid inclusion $\mathbb{N} \subseteq \mathbb{R}$) or as transition systems in which there can be more than one transition between two states.
- (5) A wide range of probabilistic and weighted systems can be obtained as coalgebras for respective distribution functors, see e.g. Bartels et al. [BSdV04].

Definition 2.3. The category of F -coalgebras and their morphisms is denoted by $\mathbf{Coalg}(F)$.

Intuitively, the coalgebra morphisms preserve the behaviour of states:

Definition 2.4. In \mathbf{Set} , two states $x, y \in C$ in an F -coalgebra (C, c) are *behaviourally equivalent* if there is a coalgebra homomorphism $h: (C, c) \rightarrow (D, d)$ with $h(x) = h(y)$.

Example 2.5. For the running examples of F , coalgebraic behavioural equivalence instantiates to well-known system equivalences:

- (1) For deterministic automata ($FX = 2 \times X^A$), the coalgebra morphism square means that a coalgebra morphism $h: (C, c) \rightarrow (D, d)$ has to preserve the finality of states and the transition function:

$$q \text{ final iff } h(q) \text{ final} \quad \text{and} \quad q \xrightarrow{a} q' \text{ iff } h(q) \xrightarrow{a} h(q') \quad \text{for all } q, q' \in C, a \in A.$$





FIGURE 2. Examples of an F -coalgebra morphisms for $FX = 2 \times X^{\{a,b\}}$

FIGURE 3. Simple example of an $M^{(-)}$ -coalgebra morphism

An example of a coalgebra morphism is illustrated in Figure 2. We use bars in state names to indicate that two states of a coalgebra were merged into one state in the codomain. Here, the states q and p are identified, showing that they are behaviourally equivalent. However, a coalgebra homomorphism does not need to identify all states of equivalent behaviour, and indeed h does not identify s with q and p even though s has the same behaviour. Also, the codomain may have additional states, e.g. $t \in D$ is not in the image of h .

In general, states in a coalgebra for $FX = 2 \times X^A$ are behaviourally equivalent iff they accept the same language [Rut00, Example 9.5]. For example, $s, p, q \in C$ in Figure 2 accept all words in $\{a, b\}^*$ that do not end in b .

The argument for the correspondence between behavioural equivalence and language equivalence is roughly as follows. For sufficiency, if two states x, y in an F -coalgebra are identified by a coalgebra homomorphism, then one can show by induction over input words $w \in A^*$ that either both states or neither of them accepts w . For necessity, consider the map

$$g: C \rightarrow \mathcal{P}(A^*) \quad g(q) = \{w \in A^* \mid q \xrightarrow{w} q' \text{ and } q' \text{ final}\}$$

which sends states to their semantics. This map g is a coalgebra homomorphism for the F -coalgebra structure $p: \mathcal{P}(A^*) \rightarrow 2 \times \mathcal{P}(A^*)^A$ given by

$$\text{pr}_1(p(L)) = \begin{cases} 1 & \text{if } \varepsilon \in L \\ 0 & \text{if } \varepsilon \notin L \end{cases} \quad \text{pr}_2(p(L))(a) = \{w \mid aw \in L\}.$$

In fact, $(\mathcal{P}(A^*), p)$ is the *final* F -coalgebra. Final coalgebras give rise to a coinduction principle and are related to the minimality of coalgebras, but they are not needed for the present article. Thus we refer to the standard coalgebraic literature [Rut00, JR97, Adá05, Jac17] for further details on final coalgebras and coinduction.

- (2) For labelled transition systems ($FX = \mathcal{P}(A \times X)$), states are behaviourally equivalent iff they are bisimilar [AM89].
- (3) For weighted systems, i.e. coalgebras for $M^{(-)}$, the coalgebraic behavioural equivalence captures weighted bisimilarity [KS13].

Explicitly, a map $h: C \rightarrow D$ is a coalgebra morphism $h: (C, c) \rightarrow (D, d)$, iff

$$d(h(q))(p) = \sum \{c(q)(q') \mid q' \in C, h(q') = p\} \quad \text{for all } q \in C, p \in D.$$

So, whenever two successor states are merged, then their transition weights are summed up (Figure 3).

For $M = (\mathbb{R}, +, 0)$, an example of a $\mathbb{R}^{(-)}$ -coalgebra morphism $h: (C, c) \rightarrow (D, d)$ is given in Figure 4. The map h is a coalgebra morphism, because all transition weights in

(D, d) are the sum of the corresponding transition weights in (C, c) :

$$\begin{array}{ccc} \overbrace{d(\bar{q})(\bar{s})}^1 = \overbrace{c(q)(p)}^{-2} + \overbrace{c(q)(s)}^3 & d(\bar{q})(\bar{s}) = \overbrace{c(r)(p)}^0 + \overbrace{c(r)(s)}^1 \\ \underbrace{d(\bar{s})(\bar{q})}_5 = \underbrace{c(s)(q)}_5 + \underbrace{c(s)(r)}_0 & \underbrace{d(\bar{s})(\bar{q})}_5 = \underbrace{c(p)(q)}_2 + \underbrace{c(p)(r)}_3 \end{array}$$

- (4) Further semantic notions can be modelled with coalgebras by changing the base category from $\mathcal{C} = \text{Set}$ to the Eilenberg-Moore [TP97] or Kleisli category [HJS06] of a monad, to nominal sets [KPSdV13, MSW16], or to partially ordered sets [BK11].

The category of coalgebras inherits many properties from the base-category \mathcal{C} . The categories are related via the forgetful functor

$$U: \text{Coalg}(F) \rightarrow \mathcal{C} \quad U(C, c) = C \quad Uh = h$$

which sends coalgebras to their carrier and coalgebra morphisms to their underlying morphism. For instance, it is a standard result that U creates colimits. Its proof is recalled in the appendix for the convenience of the reader.

Lemma 2.6. *The forgetful functor $U: \text{Coalg}(F) \rightarrow \mathcal{C}$ creates all colimits. That is, the colimit of a diagram $D: \mathcal{D} \rightarrow \text{Coalg}(F)$ exists, if $U \cdot D: \mathcal{D} \rightarrow \mathcal{C}$ has a colimit, and moreover, there is a unique coalgebra structure on $\text{colim}(U \cdot D)$ making it the colimit of D and making the colimit injections of $\text{colim} D$ coalgebra morphisms.*

On the other hand, we do not necessarily have all limits in $\text{Coalg}(F)$. If F preserves a limit of a diagram $U \cdot D$ for $D: \mathcal{D} \rightarrow \text{Coalg}(F)$, then the limit also exists in $\text{Coalg}(F)$.

Coalgebras model systems with a transition structure, and pointed coalgebras extend this by a notion of initial state:

Definition 2.7. For an object $I \in \mathcal{C}$, an I -pointed F -coalgebra (C, c, i_C) is an F -coalgebra (C, c) together with a morphism $i_C: I \rightarrow C$. A pointed coalgebra morphism $h: (C, c, i_C) \rightarrow (D, d, i_D)$ is a coalgebra morphism $h: (C, c) \rightarrow (D, d)$ that preserves the point: $i_D = h \cdot i_C$.

The category of I -pointed F -coalgebras is denoted by $\text{Coalg}_I(F)$.

Example 2.8. For $I := 1$ in Set , a pointed coalgebra (C, c, i_C) for $FX = 2 \times X^A$ is a deterministic automaton, where the initial state is given by the map $i_C: 1 \rightarrow C$.

The point can also be understood as a (nullary) algebraic operation. In general, coalgebras are dual to F -algebras in the following sense.

Definition 2.9. An F -algebra (for a functor $F: \mathcal{C} \rightarrow \mathcal{C}$) is a morphism $a: FA \rightarrow A$, an algebra homomorphism $h: (A, a) \rightarrow (B, b)$ is a morphism $h: A \rightarrow B$ fulfilling $b \cdot Fh = h \cdot a$. The category of F -algebras is denoted by $\text{Alg}(F)$.

$$\begin{array}{ccc} FA & \xrightarrow{a} & A \\ \downarrow Fh & & \downarrow h \\ FB & \xrightarrow{b} & B \end{array}$$




FIGURE 4. Example of a $(\mathbb{R}, +, 0)^{(-)}$ -coalgebra morphism

The theory of algebras for a functor is dual to coalgebras in the sense that $\text{Alg}(F) = \text{Coalg}(F^{\text{op}})^{\text{op}}$ for $F^{\text{op}}: \mathcal{C}^{\text{op}} \rightarrow \mathcal{C}^{\text{op}}$. The I -pointed coalgebras thus are also algebras for the constant I functor. Most of the results of the present paper also apply to algebras for a functor $F: \mathcal{C} \rightarrow \mathcal{C}$.

2.2. Factorization Systems. The process of minimizing a system constructs a quotient or subobject of the state space, where the notions of quotient and subobject respectively stem from a factorization system in the category of interest. This generalizes the well-known image factorization of a function into a surjective and an injective part:

Definition 2.10 [AHS09, Definition 14.1]. Given classes of morphisms \mathcal{E} and \mathcal{M} in \mathcal{C} , we say that \mathcal{C} has an $(\mathcal{E}, \mathcal{M})$ -factorization system provided that:

- (1) \mathcal{E} and \mathcal{M} are closed under composition with isomorphisms.
- (2) Every morphism $f: A \rightarrow B$ in \mathcal{C} has a factorization $f = m \cdot e$ with $e \in \mathcal{E}$ and $m \in \mathcal{M}$. We write $\text{Im}(f)$ for the intermediate object, \twoheadrightarrow for morphisms $e \in \mathcal{E}$, and \hookrightarrow for morphisms $m \in \mathcal{M}$.
- (3) For each commutative square $g \cdot e = m \cdot f$ with $m \in \mathcal{M}$ and $e \in \mathcal{E}$, there exists a unique diagonal fill-in d with $m \cdot d = g$ and $d \cdot e = f$.

$$\begin{array}{ccc} A & \xrightarrow{f} & B \\ \downarrow e & & \uparrow m \\ & \twoheadrightarrow \text{Im}(f) \hookrightarrow & \\ \\ A & \twoheadrightarrow e & B \\ f \downarrow & \exists! d & \downarrow g \\ C & \hookrightarrow m & D \end{array}$$

Example 2.11. In Set , we have an $(\text{Epi}, \text{Mono})$ -factorization system where Epi is the class of surjective maps, and Mono the class of injective maps. The image of a map $f: A \rightarrow B$ is given by

$$\text{Im}(f) = \{b \in B \mid \text{there exists } a \in A \text{ with } f(a) = b\}.$$

canonically yielding maps $e: A \twoheadrightarrow \text{Im}(f)$ and $m: \text{Im}(f) \hookrightarrow B$. Note that one can also regard $\text{Im}(f)$ as a set of equivalence classes of A :

$$\text{Im}(f) \cong \{\{a' \in A \mid f(a') = f(a)\} \mid a \in A\}.$$

Intuitively, the diagonal fill-in property (Definition 2.10.3, also called *diagonal lifting*) provides a way of defining a map d on equivalence classes (given by the surjective map at the top) and with a restricted codomain (given by the injective map at the bottom).

Example 2.12. In general, the elements of \mathcal{E} are not necessarily epimorphisms and the elements of \mathcal{M} are not necessarily monomorphisms. In particular, every category has an $(\mathcal{E}, \mathcal{M})$ -factorization system with $\mathcal{E} := \text{Iso}$ being the class of isomorphisms and $\mathcal{M} := \text{Mor}$ being the class of all morphisms (and also vice-versa).

Definition 2.13. An $(\mathcal{E}, \mathcal{M})$ -factorization system is called *proper* if $\mathcal{E} \subseteq \text{Epi}$ and $\mathcal{M} \subseteq \text{Mono}$.

These two conditions of properness are independent. In fact, $\mathcal{M} \subseteq \text{Mono}$ is equivalent to every split-epimorphism being in \mathcal{E} [AHS09, Prop. 14.11]. In the literature, it is often required that the factorization system is proper, and in fact a proper factorization system arises in complete or cocomplete categories:

Example 2.14. Every complete category has a $(\text{StrongEpi}, \text{Mono})$ -factorization system [AHS09, Thm. 14.17 and 14C(d)] and also an $(\text{Epi}, \text{StrongMono})$ -factorization system [AHS09, Thm. 14.19, and 14C(f)]. By duality, every cocomplete category has so as well.

Remark 2.15. $(\mathcal{E}, \mathcal{M})$ -factorization systems have many properties known from surjective and injective maps on \mathbf{Set} [AHS09, Chp. 14]:

- (1) $\mathcal{E} \cap \mathcal{M}$ is the class of isomorphisms of \mathcal{C} .
- (2) If $f \cdot g \in \mathcal{M}$ and $f \in \mathcal{M}$, then $g \in \mathcal{M}$. If $\mathcal{M} \subseteq \mathbf{Mono}$, then $f \cdot g \in \mathcal{M}$ implies $g \in \mathcal{M}$.
- (3) \mathcal{E} and \mathcal{M} are respectively closed under composition.
- (4) \mathcal{M} is stable under pullbacks, \mathcal{E} is stable under pushouts.

The stability generalizes as follows to wide pullbacks and pushouts:

Lemma 2.16. \mathcal{M} is stable under wide pullbacks: for a family $(f_i: A_i \rightarrow B)_{i \in I}$ and its wide pullback $(\text{pr}_i: P \rightarrow A_i)_{i \in I}$, a projection $\text{pr}_j: P \rightarrow A_j$ is in \mathcal{M} if f_i is in \mathcal{M} for all $i \in I \setminus \{j\}$.

A factorization system also provides notions of subobjects and quotients, generalizing the notions of subset and quotient sets:

Definition 2.17. For a class \mathcal{M} of morphisms, an \mathcal{M} -subobject of an object X is a pair (S, s) where $s: S \rightarrow X$ is in \mathcal{M} . Two \mathcal{M} -subobjects (s, S) , (s', S') are called *isomorphic* if there is an isomorphism $\phi: S \rightarrow S'$ with $\phi \cdot s = s'$. We write $(s, S) \leq (s', S')$ if there is a morphism $h: S \rightarrow S'$ with $s' \cdot h = s$. Dually, an \mathcal{E} -quotient of X is pair (Q, q) for a morphism $q: X \rightarrow Q$ ($q \in \mathcal{E}$). If $(\mathcal{E}, \mathcal{M})$ is fixed from the context, we simply speak of subobjects and quotients.

Note that \leq is not necessarily anti-symmetric: if $(s, S) \leq (s', S')$ and $(s', S') \leq (s, S)$ then it is not necessarily the case that (s, S) and (s', S') are isomorphic \mathcal{M} -subobjects. Thus, it is often required that \mathcal{M} is a class of monomorphisms [AHS09, Def. 7.77], but many of the results in the present work hold without this assumption. If \mathcal{M} is so, then the subobjects (up to iso) of a given object X form a preordered class. Moreover, they form a preordered set iff \mathcal{C} is \mathcal{M} -wellpowered. This is in fact the definition: \mathcal{C} is \mathcal{M} -wellpowered if for each $X \in \mathcal{C}$ there is (up to isomorphism) only a set of \mathcal{M} -subobjects. On \mathbf{Set} , the isomorphism classes of (Mono-)subobjects of X correspond to subsets of X and the isomorphism classes of (Epi-)quotients of X correspond to partitions of X .

If $(\mathcal{E}, \mathcal{M})$ forms a factorization system, then its axioms provide us with methods to construct and work with subobjects and quotients, e.g. the image factorization means that for every morphism, we obtain a quotient of its domain and a subobject of its codomain. The minimization of coalgebras amounts to the construction of certain subobjects or quotients with respect to a suitable factorization system in the category of coalgebras $\mathbf{Coalg}(F)$.

3. FACTORIZATION SYSTEM FOR COALGEBRAS

If we have an $(\mathcal{E}, \mathcal{M})$ -factorization system on the base category \mathcal{C} on which we consider coalgebras for $F: \mathcal{C} \rightarrow \mathcal{C}$, then it is natural to consider coalgebra morphisms whose underlying \mathcal{C} -morphism is in \mathcal{E} , resp. \mathcal{M} :

Definition 3.1. Given a class of \mathcal{C} -morphisms \mathcal{E} , we say that an F -coalgebra morphism $h: (C, c) \rightarrow (D, d)$ is \mathcal{E} -carried if $h: C \rightarrow D$ is in \mathcal{E} .

This induces the standard notions of subcoalgebra and quotient coalgebras as instances of \mathcal{M} -subobjects and \mathcal{E} -quotients in $\mathbf{Coalg}(F)$: an \mathcal{M} -subcoalgebra of (C, c) is an $(\mathcal{M}$ -carried)-subobject of (C, c) (in $\mathbf{Coalg}(F)$), i.e. is represented by an \mathcal{M} -carried homomorphism $m: (S, s) \rightarrow (C, c)$. Likewise, a *quotient* of a coalgebra (C, c) is an $(\mathcal{E}$ -carried)-quotient of (C, c) (in $\mathbf{Coalg}(F)$), i.e. is represented by a coalgebra morphism $e: (C, c) \rightarrow (Q, q)$ carried by

an \mathcal{E} -morphism. If \mathcal{E} happens to be a class of epimorphisms, then q is uniquely determined by e and c .

Note that for the case where \mathcal{M} is the class of monomorphisms, the monomorphisms in $\mathbf{Coalg}(F)$ coincide with the **Mono**-carried homomorphisms only under additional assumptions:

Lemma 3.2. *If weak kernel pairs exist in \mathcal{C} and are preserved by $F: \mathcal{C} \rightarrow \mathcal{C}$, then the monomorphisms in $\mathbf{Coalg}(F)$ are precisely the **Mono**-carried coalgebra homomorphisms.*

Preservation of kernel pairs is a commonly known criterion, and Gumm and Schröder [GS05, Example 3.5] present an example of a functor that does not preserve kernel pairs but for which there is a monic coalgebra homomorphism that is not carried by a monomorphism.

Proof of Lemma 3.2. It is clear that every **Mono**-carried homomorphism is monic in $\mathbf{Coalg}(F)$. Conversely, let $m: (C, c) \rightarrow (D, d)$ be a monomorphism in $\mathbf{Coalg}(F)$. Let $\text{pr}_1, \text{pr}_2: K \rightarrow C$ be a weak kernel pair of m . Since F preserves weak kernel pairs, $F\text{pr}_1, F\text{pr}_2: FK \rightarrow FC$ is a weak kernel pair of $Fm: FC \rightarrow FD$. This induces some cone morphism $k: K \rightarrow FK$ making pr_1 and pr_2 coalgebra morphisms $(K, k) \rightarrow (C, c)$:

$$\begin{array}{ccccc} K & \begin{array}{c} \xrightarrow{\text{pr}_1} \\ \xrightarrow{\text{pr}_2} \end{array} & C & \xrightarrow{m} & D \\ \downarrow k & & \downarrow c & & \downarrow d \\ FK & \begin{array}{c} \xrightarrow{F\text{pr}_1} \\ \xrightarrow{F\text{pr}_2} \end{array} & FC & \xrightarrow{Fm} & FD \end{array}$$

Since m is monic in $\mathbf{Coalg}(F)$, this implies that $\text{pr}_1 = \text{pr}_2$. For the verification that m is a monomorphism in \mathcal{C} , consider $f, g: X \rightarrow C$ with $m \cdot f = m \cdot g$. Since pr_1, pr_2 is a weak kernel pair, it induces some cone morphism $v: X \rightarrow K$, fulfilling $f = \text{pr}_1 \cdot v$ and $g = \text{pr}_2 \cdot v$. Since, $\text{pr}_1 = \text{pr}_2$, we find $f = g$ as desired. \square

For the construction of quotient coalgebras and subcoalgebras, it is handy to have the factorization system directly in $\mathbf{Coalg}(F)$. It is a standard result that the image factorization of homomorphisms lifts (see e.g. [MPW19, Lemma 2.5]). Under assumptions on \mathcal{E} and \mathcal{M} , Kurz shows that the factorization system lifts to $\mathbf{Coalg}(F)$ [Kur00, Theorem 1.3.7] (and to other categories with a forgetful functor to the base category \mathcal{C}).

In fact, the factorization system always lifts to $\mathbf{Coalg}(F)$ under the condition that F preserves \mathcal{M} . By this condition, we mean that $m \in \mathcal{M}$ implies $Fm \in \mathcal{M}$.

Lemma 3.3. *If $F: \mathcal{C} \rightarrow \mathcal{C}$ preserves \mathcal{M} , then the $(\mathcal{E}, \mathcal{M})$ -factorization system lifts from \mathcal{C} to an $(\mathcal{E}$ -carried, \mathcal{M} -carried)-factorization system in $\mathbf{Coalg}(F)$. The factorization of F -coalgebra homomorphisms and the diagonal fill-in morphisms in $\mathbf{Coalg}(F)$ are as in \mathcal{C} .*

Proof. We verify Definition 2.10:

- (1) The \mathcal{E} - and \mathcal{M} -carried morphisms are closed under composition with isomorphisms, respectively.
- (2) Given an F -coalgebra morphism $f: (A, a) \rightarrow (B, b)$, consider its factorization $f = m \cdot e$ in \mathcal{C} . Since F preserves \mathcal{M} , we have $Fm \in \mathcal{M}$ and thus can apply the diagonal fill-in

property (Definition 2.10.3) to the coalgebra morphism square of f :

$$\begin{array}{ccc}
 & \xrightarrow{f} & \\
 A & \xrightarrow{e} \twoheadrightarrow \text{Im}(f) \xrightarrow{m} & B \\
 \downarrow a & \downarrow \exists! d & \downarrow b \\
 FA & \xrightarrow{Fe} F\text{Im}(f) \xrightarrow{Fm} & FB \\
 & \xrightarrow{Ff} &
 \end{array}$$

This defines a unique coalgebra structure d on $\text{Im}(f)$ making e and m coalgebra morphisms.

- (3) In order to check the diagonal-lifting property of the $(\mathcal{E}$ -carried, \mathcal{M} -carried)-factorization system, consider a commutative square $g \cdot e = m \cdot f$ in $\text{Coalg}(F)$ with $m \in \mathcal{M}$, $e \in \mathcal{E}$:

$$\begin{array}{ccc}
 (A, a) \xrightarrow{e} \twoheadrightarrow (B, b) & & A \xrightarrow{e} \twoheadrightarrow B \\
 f \downarrow & \downarrow g \text{ (in } \text{Coalg}(F)) & \Downarrow \exists! h \\
 (C, c) \xrightarrow{m} \twoheadrightarrow (D, d) & \implies & C \xrightarrow{m} \twoheadrightarrow D
 \end{array}$$

In \mathcal{C} , there exists a unique $h: B \rightarrow C$ with $h \cdot e = f$ and $m \cdot h = g$. We only need to prove that $h: B \rightarrow C$ is a coalgebra homomorphism $(B, b) \rightarrow (C, c)$, i.e. that $c \cdot h = Fh \cdot b$. We prove this equality by showing that both $c \cdot h$ and $Fh \cdot b$ are diagonals in a commutative square of the form of Definition 2.10.3. Indeed, we have the commutative squares:

$$\begin{array}{ccc}
 \begin{array}{ccccc}
 A & \xrightarrow{e} \twoheadrightarrow & B & & \\
 \downarrow a & \searrow f & \swarrow h & \downarrow g & \searrow b \\
 FA & \xrightarrow{\text{f hom.}} & C & \xrightarrow{m} \twoheadrightarrow & D & \xrightarrow{\text{g hom.}} & FB \\
 \downarrow Ff & \swarrow c & \downarrow \text{m hom.} & \downarrow d & \swarrow Fg \\
 FC & \xrightarrow{Fm} \twoheadrightarrow & FD & &
 \end{array} & \text{and} &
 \begin{array}{ccccc}
 A & \xrightarrow{e} \twoheadrightarrow & B & & \\
 \downarrow a & \text{e hom.} & \swarrow b & \downarrow b & \\
 FA & \xrightarrow{Fe} & FB & \xrightarrow{\text{trivial}} & FB \\
 \downarrow Ff & \swarrow Fh & \downarrow Fg & \downarrow Fg \\
 FC & \xrightarrow{Fm} \twoheadrightarrow & FD & &
 \end{array}
 \end{array}$$

By the uniqueness of the diagonal in Definition 2.10.3, $c \cdot h = Fh \cdot b$. \square

Remark 3.4. The condition that F preserves \mathcal{M} is commonly met. For Set and \mathcal{M} being the class of injective maps, it can be assumed wlog for coalgebraic purposes that F preserves injective maps: every set functor preserves injective maps with non-empty domain and only needs to be modified on \emptyset in order to preserve all injective maps [Trn71]. The resulting functor has an isomorphic category of coalgebras.

Example 3.5. We saw an example $2 \times (-)^{\{a,b\}}$ -coalgebra morphism $h: (C, c) \rightarrow (D, d)$ between DFAs in Figure 2. Since h was neither injective nor surjective, it properly factors into a surjective $e: (C, c) \twoheadrightarrow (I, i)$ and an injective $m: (\text{Im}(h), i) \rightarrow (D, d)$, $h = m \cdot e$, as illustrated in Figure 5. The carrier of the intermediate coalgebra is just the image $\text{Im}(h)$ of the map $h: C \rightarrow D$.

We have the dual result for factorization systems in F -algebras:

Lemma 3.6. *If $F: \mathcal{C} \rightarrow \mathcal{C}$ preserves \mathcal{E} , then the $(\mathcal{E}, \mathcal{M})$ -factorization system lifts from \mathcal{C} to $\text{Alg}(F)$.*




FIGURE 5. Factorization $h = m \cdot e$ in $\text{Coalg}(2 \times (-)^{\{a,b\}})$ of h from Figure 2


Proof. We have an $(\mathcal{M}, \mathcal{E})$ -factorization system in \mathcal{C}^{op} . By Lemma 3.3, this factorization system lifts to $\text{Coalg}(F^{\text{op}})$ since $F^{\text{op}}: \mathcal{C}^{\text{op}} \rightarrow \mathcal{C}^{\text{op}}$ preserves \mathcal{E} . Thus, we have an $(\mathcal{E}$ -carried, \mathcal{M} -carried)-factorization system in $\text{Alg}(F) = \text{Coalg}(F^{\text{op}})^{\text{op}}$. \square

This lifting result even holds for Eilenberg-Moore algebras for a monad $T: \mathcal{C} \rightarrow \mathcal{C}$. The Eilenberg-Moore category of a monad T is a full subcategory of $\text{Alg}(T)$ containing those algebras that interact coherently with the multiplication $\mu: TT \rightarrow T$ and unit $\eta: \text{Id}_{\mathcal{C}} \rightarrow T$ of the monad T , see e.g. Awodey [Awo10] for details. Concretely, a T -algebra (A, a) is an Eilenberg-Moore algebra if $a \cdot \eta_A = \text{id}_A$ holds and $a: TA \rightarrow A$ is a T -algebra homomorphism $a: (TA, \mu_A) \rightarrow (A, a)$.

Proposition 3.7. *If a monad $T: \mathcal{C} \rightarrow \mathcal{C}$ preserves \mathcal{E} , then the $(\mathcal{E}, \mathcal{M})$ -factorization system lifts from \mathcal{C} to $\text{EM}(T)$, the Eilenberg-Moore category of T .*

Proof. Denote the unit and multiplication of the monad T by $\eta: \text{Id} \rightarrow T$ and $\mu: TT \rightarrow T$, respectively. Consider an T -algebra homomorphism $f: (A, a) \rightarrow (B, b)$ for Eilenberg-Moore algebras (A, a) and (B, b) and denote its image factorization in $\text{Alg}(T)$ by (I, i) , with homomorphisms $e: (A, a) \rightarrow (I, i)$ and $m: (I, i) \rightarrow (B, b)$. We verify that $i: TI \rightarrow I$ is an Eilenberg-Moore algebra.

- First, we verify $i \cdot \eta_I = \text{id}_I$ by showing that both $i \cdot \eta_I$ and id_I are both diagonals of the following square:



The left-hand square commutes trivially, and the right-hand square commutes because η is natural (N), because e and m are T -algebra homomorphisms (H), and because (A, a) and (B, b) are Eilenberg-Moore algebras (A). By the uniqueness of the diagonal lifting property, we obtain $i \cdot \eta_I = \text{id}_I$.

- Next, we verify $i \cdot Ti = i \cdot \mu_i$. In $\text{Alg}(T)$, we have the following commutative square:

$$\begin{array}{ccc}
 (TA, \mu_A) & \xrightarrow{Te} & (TI, \mu_I) \\
 a \downarrow & & \downarrow Tm \\
 (A, a) & & (TB, \mu_B) \\
 e \downarrow & & \downarrow b \\
 (I, i) & \xrightarrow{m} & (B, b)
 \end{array}$$

All mentioned morphisms are indeed T -algebra morphisms, because a and b are Eilenberg-Moore algebras. By the previous lifting result (Lemma 3.6), the diagonal fill-in $(TI, i) \rightarrow (I, i)$ in $\text{Alg}(T)$ is given by the diagonal fill-in in \mathcal{C} , which is $i: TI \rightarrow I$. Hence, i is a T -algebra homomorphism.

Thus, (I, i) fulfils the axioms of an Eilenberg-Moore algebra. The remaining properties of the factorization system hold because the Eilenberg-Moore category is a full subcategory of $\text{Alg}(T)$. \square

The factorization system also lifts further to pointed coalgebras:

Lemma 3.8. *If $F: \mathcal{C} \rightarrow \mathcal{C}$ preserves \mathcal{M} , then the $(\mathcal{E}, \mathcal{M})$ -factorization system lifts from \mathcal{C} to $\text{Coalg}_I(F)$.*

Proof. A combination of Lemma 3.3 and 3.6, using that the constant functor preserves \mathcal{E} -morphisms. \square

4. MINIMALITY IN A CATEGORY

Having seen multiple categories with an $(\mathcal{E}, \mathcal{M})$ -factorization system, we can now define the minimality of objects abstractly.

Definition 4.1. Given a category \mathcal{K} with an $(\mathcal{E}, \mathcal{M})$ -factorization system, an object C of \mathcal{K} is called \mathcal{M} -minimal if every morphism $h: D \rightarrow C$ in \mathcal{M} is an isomorphism.

Remark 4.2. Every $(\mathcal{E}, \mathcal{M})$ -factorization system on \mathcal{K} is an $(\mathcal{M}, \mathcal{E})$ -factorization system on \mathcal{K}^{op} , and thus induces a dual notion of \mathcal{E} -minimality: an object C of \mathcal{K} is called \mathcal{E} -minimal if every $h: C \rightarrow D$ in \mathcal{E} is an isomorphism.

In the following, \mathcal{K} will denote the category in which we consider the minimal objects, e.g. the category of coalgebras for a functor $F: \mathcal{C} \rightarrow \mathcal{C}$.

Assumption 4.3. In the following, assume that the category \mathcal{K} has an $(\mathcal{E}, \mathcal{M})$ -factorization system. Whenever we consider a category of coalgebras for a functor $F: \mathcal{C} \rightarrow \mathcal{C}$ in the following, we achieve this by assuming that \mathcal{C} has an $(\mathcal{E}, \mathcal{M})$ -factorization system and that F preserves \mathcal{M} .

The leading examples of the minimality notion in the present work are the following two instances in coalgebras:

Instance 4.4. For $\mathcal{K} := \text{Coalg}_I(F)$, the (\mathcal{M} -carried-)minimal objects are the *reachable* coalgebras, as introduced by Adámek et al. [AMMS13]. Concretely, an I -pointed F -coalgebra (C, c, i_C) is reachable if it has no (proper) pointed subcoalgebra, equivalently, if every \mathcal{M} -carried coalgebra morphism $m: (S, s, i_S) \rightarrow (C, c, i_C)$ is necessarily an isomorphism [AMMS13].

In **Set**, this corresponds to the usual notion of reachability: if a state $x \in C$ is contained in a subcoalgebra $m: (S, s, i_S) \rightarrow (C, c, i_C)$, then all successors of x need to be contained in the subcoalgebra as well, since m is a coalgebra homomorphism. Moreover, the subcoalgebra has to contain the point $i_C: I \rightarrow C$, and thus also all its successors, and in total all states reachable from i_C in finitely many steps. Hence, (C, c, i_C) is reachable if it is not possible to omit any state in a pointed subcoalgebra (S, s, i_S) , i.e. if any such injective m is a bijection.

Instance 4.5. For $\mathcal{K} := \text{Coalg}(F)^{\text{op}}$, the (\mathcal{E} -carried-)minimal objects are called *simple* coalgebras, as mentioned by Gumm [Ihr03]. Usually, a simple coalgebra is defined as a coalgebra that does not have any proper quotient [WDMS20].¹

In **Set**, a coalgebra is simple iff all states have different behaviour – this characterization follows directly the following equivalent characterization of minimal objects as we will see in Instance 4.7:

Lemma 4.6. *An object C in \mathcal{K} is \mathcal{M} -minimal iff every $h: D \rightarrow C$ is in \mathcal{E} .*

Proof. In the ‘if’ direction, consider some \mathcal{M} -morphism $h: D \rightarrow C$. By the assumption, h is also in \mathcal{E} and thus an isomorphism. In the ‘only if’ direction, take some morphism $h: D \rightarrow C$ and consider its $(\mathcal{E}, \mathcal{M})$ -factorization $e: D \rightarrow \text{Im}(h)$ and $m: \text{Im}(h) \rightarrow C$ with $h = m \cdot e$. Since C is \mathcal{M} -minimal, m is an isomorphism and thus $h = m \cdot e$ is in \mathcal{E} . \square

Instance 4.7. For $\mathcal{K} := \text{Coalg}(F)^{\text{op}}$, an F -coalgebra (C, c) is simple iff every F -coalgebra morphism $h: (C, c) \rightarrow (D, d)$ is \mathcal{M} -carried.

In **Set**, this equivalence shows that the simple coalgebras are precisely those coalgebras for which behavioural equivalence coincides with equality:

- If states $x, y \in C$ are behaviourally equivalent, then there is some $h: (C, c) \rightarrow (D, d)$ with $h(x) = h(y)$. By Instance 4.7, h must be injective and thus $x = y$.
- Conversely, if all states in (C, c) have different behaviour, then every $h: (C, c) \rightarrow (D, d)$ is necessarily injective by Definition 2.4. Thus, by Instance 4.7, (C, c) is simple.

Gumm already noted that in **Set**, every outgoing coalgebra morphism from a simple coalgebra is injective [Ihr03, Hilfssatz 3.6.3] – but the converse direction (and thus the equivalence of Instance 4.7) was not mentioned. If \mathcal{E} , resp. \mathcal{M} , happens to be the class of epimorphisms, resp. monomorphisms, yet another characterization of minimality exists:

Lemma 4.8. *Assume $\mathcal{E} = \text{Epi}$ and weak equalizers in \mathcal{K} , then X is \mathcal{M} -minimal iff there is at most one morphism $u: C \rightarrow D$ for every $D \in \mathcal{K}$.*

Dually, given $\mathcal{M} = \text{Mono}$ and weak coequalizers, C is \mathcal{E} -minimal iff C is subterminal, that is, iff there is a most one $u: D \rightarrow C$ for every $D \in \mathcal{K}$.

The name *subterminal* stems from the fact that if \mathcal{K} has a terminal object, its subobjects are the subterminal objects.

¹Gumm [Ihr03, p. 34] defines a simple coalgebra as the quotient of a coalgebra on **Set** modulo behavioural equivalence.

X is \mathcal{M} -minimal	X is \mathcal{E} -minimal
\Leftrightarrow every $Y \twoheadrightarrow X$ is an isomorphism	\Leftrightarrow every $X \twoheadrightarrow Y$ is an isomorphism
\Leftrightarrow every $Y \rightarrow X$ is in \mathcal{E}	\Leftrightarrow every $X \rightarrow Y$ is in \mathcal{M}
if $\mathcal{E} = \mathbf{Epi}$ and \mathcal{K} has weak equalizers: \Leftrightarrow all parallel $X \rightrightarrows Y$ equal	if $\mathcal{M} = \mathbf{Mono}$ and \mathcal{K} has weak coequalizers: \Leftrightarrow all parallel $Y \rightrightarrows X$ equal ('X subterminal')

FIGURE 6. Equivalent characterizations of \mathcal{M} -minimality and \mathcal{E} -minimality in a category \mathcal{K}

Proof of Lemma 4.8. We verify the postulated equivalence using Lemma 4.6 for $\mathcal{E} = \mathbf{Epi}$.

- For 'if', we verify that every $h: B \rightarrow C$ is an epimorphism: for $u, v: C \rightarrow D$ with $u \cdot h = v \cdot h$, we directly obtain $u = v$ by assumption. Thus, h is an epimorphism.
- For 'only if', consider $u, v: C \rightarrow D$ and take a weak equalizer $e: E \rightarrow C$; hence, $u \cdot e = v \cdot e$. Since e is an epimorphism (by minimality), we obtain $u = v$. \square

Instance 4.9. For $\mathcal{K} := \mathbf{Coalg}(F)^{\text{op}}$, assume $\mathcal{M} = \mathbf{Mono}$ and that F preserves weak kernel pairs and that the base category \mathcal{C} has coequalizers. Hence, the monomorphisms in $\mathbf{Coalg}(F)$ are precisely the \mathbf{Mono} -carried homomorphisms (Lemma 3.2) and the assumption of Lemma 4.8 is met. Consequently, the simple coalgebras are precisely the *subterminal* coalgebras. If the final coalgebra exists, then its subcoalgebras are precisely the simple coalgebras. For a non-example, Gumm and Schröder [GS05, Example 3.5] provide a functor not preserving weak kernel pairs and a subterminal coalgebra that is not simple.

We have now established a series of equivalent characterizations of minimality (Figure 6) and will now discuss how to construct minimal objects. This process of minimization – i.e. of constructing the reachable part or the simple quotient of a coalgebra – is abstracted as follows:

Definition 4.10. An \mathcal{M} -*minimization* of $C \in \mathcal{K}$ is a morphism $m: D \twoheadrightarrow C$ in \mathcal{M} where D is \mathcal{M} -minimal.

In fact, we will show in Corollary 4.14 that an \mathcal{M} -minimization is unique, so we can speak of *the* \mathcal{M} -minimization.

Instance 4.11. The task of finding an \mathcal{M} -minimization of a given $C \in \mathcal{K}$ instantiates to the standard minimization tasks on coalgebras:

- For $\mathcal{K} := \mathbf{Coalg}_I(F)$, an \mathcal{M} -minimization of a given pointed coalgebra (C, c, i_C) is called its *reachable subcoalgebra* [AMMS13]. This is a subcoalgebra obtained by removing all unreachable states. The explicit definition is: the reachable subcoalgebra of (C, c, i_C) is a (pointed) subcoalgebra $h: (R, r, i_R) \twoheadrightarrow (C, c, i_C)$ where (R, r, i_R) itself has no proper (pointed) subcoalgebras.
- For $\mathcal{K} := \mathbf{Coalg}(F)^{\text{op}}$, an \mathcal{E} -minimization of a given coalgebra (C, c) is called the *simple quotient* of (C, c) [Ihr03]. The explicit definition is: the simple quotient of (C, c) is a quotient $h: (C, c) \twoheadrightarrow (Q, q)$ where (Q, q) itself has no proper quotient coalgebra.

In **Set**, this is a quotient in which all behaviourally equivalent states are identified, in other words, the simple quotient of (C, c) is the unique coalgebra structure on C/\sim that makes the canonical surjection $C \twoheadrightarrow C/\sim$ a coalgebra morphism. Examples of simple




FIGURE 7. Examples of simple quotients in F -coalgebras


quotients can be found in Figure 7. Since all states in the codomain of the surjective homomorphisms are behaviourally inequivalent, the respective codomains are simple.

Example 4.12. For the trivial factorization systems (Example 2.12), we have:

- For the (Iso, Mor)-factorization system, the Iso-minimization of an object X is X itself.
- For the (Mor, Iso)-factorization system on category, if a strict initial object 0 exists, then it is the Mor-minimization of every $X \in \mathcal{C}$. Recall that an initial object 0 is called *strict* if every morphism with codomain 0 is an isomorphism.

It is well-defined to speak of *the* \mathcal{M} -minimization of an object C , because it is unique:

Lemma 4.13. Consider $h: M \rightarrow C$ with \mathcal{M} -minimal M and an \mathcal{M} -subobject $s: S \rightarrow C$. The pullback of s along h exists iff h factors uniquely through s , that is, iff there is a unique $u: M \rightarrow S$ with $s \cdot u = h$.



Proof. In the ‘if’-direction, let $d: M \rightarrow S$ be the unique morphism with $s \cdot d = h$. The pullback is simply given by M itself with projections $\text{id}_M: M \rightarrow M$ and $d: M \rightarrow S$. To verify its universal property, consider $e: E \rightarrow M$, $f: E \rightarrow S$ with $h \cdot e = s \cdot f$ (Figure 8a). Since M is \mathcal{M} -minimal, $e: E \rightarrow M$ is in \mathcal{E} (Lemma 4.6). Thus, we can apply the diagonal lifting property to $h \cdot e = s \cdot f$ yielding a diagonal u with $s \cdot u = h$ and $u \cdot e = f$. Thus, $d = u$ and $d \cdot e = f$, showing that $e: (E, e, f) \rightarrow (M, \text{id}_M, d)$ is the mediating cone morphism. Its uniqueness is clear because id_M is an isomorphism.




FIGURE 8. Diagrams for the proof of Lemma 4.13

In the ‘only if’-direction, consider the pullback (P, ϕ, d) (Figure 8b). Since \mathcal{M} -morphisms are stable under pullback (Remark 2.15.4), ϕ is in \mathcal{M} , too. By the minimality of M , the \mathcal{M} -morphism ϕ is an isomorphism and we have $d \cdot \phi^{-1}: M \rightarrow S$.

In order to see that $d \cdot \phi^{-1}$ is indeed the unique morphism $M \rightarrow S$ making the triangle commute, consider an arbitrary $v: M \rightarrow S$ with $s \cdot v = h = h \cdot \text{id}_M$. Thus, M is a competing cone for the pullback P and thus induces a morphism $u: M \rightarrow P$ with $d \cdot u = v$ and $\phi \cdot u = \text{id}_M$ (Figure 8c). Since ϕ is an isomorphism, we have $u = \phi^{-1}$ and thus $v = d \cdot \phi^{-1}$ as desired. \square

In the following, we use the terminology \mathcal{M} -*intersection* for a pullback of an \mathcal{M} -morphism along another \mathcal{M} -morphism. For \mathcal{M} being the injective maps in Set , the \mathcal{M} -intersection of two \mathcal{M} -subobjects boils down to an ordinary intersection.

Corollary 4.14. *If all \mathcal{M} -intersections exist in \mathcal{K} , then an \mathcal{M} -minimization $m: M \rightarrow C$ is the least \mathcal{M} -subobject of C (w.r.t. the preorder \leq) and unique up to unique isomorphism.*

Proof. Consider Lemma 4.13 first for $h \in \mathcal{M}$ and then also with S being \mathcal{M} -minimal. \square

Concretely, for every \mathcal{M} -subobject $s: S \rightarrow C$, there is a unique $u: M \rightarrow S$ (which is necessarily in \mathcal{M}) such that:

$$\begin{array}{ccc} & C & \\ m \nearrow & & \nwarrow s \\ M & \xrightarrow{\exists! u} & S \end{array}$$

Instance 4.15. The results instantiate to the uniqueness results in the instances of reachable subcoalgebras and simple quotients.


- (1) If \mathcal{C} has pullbacks of \mathcal{M} -morphisms (i.e. finite intersections) and $F: \mathcal{C} \rightarrow \mathcal{C}$ preserves them, then $\text{Coalg}_I(F)$ has pullbacks of \mathcal{M} -carried homomorphisms. Given a reachable subcoalgebra (D, d, i_D) of (C, c, i_C) , then it is the least I -pointed subcoalgebra of (C, c, i_C) (cf. [AMMS13, Notation 3.18]) and is unique up to isomorphism.
- (2) If \mathcal{C} has pushouts of \mathcal{E} -morphisms, then $\text{Coalg}(F)$ has pushouts of \mathcal{E} -carried homomorphisms. Hence, the simple quotient of a coalgebra (C, c) is the greatest quotient of (C, c) and unique up to isomorphism (e.g. [WDMS20, Lemma 2.9]).

There are instances where a minimization M exists, but where a mediating morphism in the sense of Lemma 4.13 is not unique:

Example 4.16 (Tree unravelling). Let $\text{Coalg}_I(F)_{\text{reach}}$ be the category of reachable pointed F -coalgebras, i.e. the full subcategory $\text{Coalg}_I(F)_{\text{reach}} \subseteq \text{Coalg}_I(F)$ such that $(C, c, i_C) \in \text{Coalg}_I(F)_{\text{reach}}$ iff it is reachable. For simplicity, restrict to $F: \text{Set} \rightarrow \text{Set}$ with the (Epi, Mono)-factorization system. Thus, all morphisms in $\text{Coalg}_I(F)_{\text{reach}}$ are surjective (Lemma 4.6). Considering the (trivial) (Mor, Iso)-factorization system on $\text{Coalg}_I(F)_{\text{reach}}$, a coalgebra (C, c, i_C) is (Mor-)minimal iff every coalgebra morphism $h: (D, d, i_D) \rightarrow (C, c, i_C)$ (with (D, d, i_D) also reachable) is an isomorphism. If (C, c, i_C) is Mor-minimal, then it is a tree: to see this, take h to be its tree unravelling (see e.g. Figure 9), and by the Mor-minimality, h is an isomorphism, so (C, c, i_C) is already a tree.

This implies that if the (Mor-)minimization of a coalgebra exists, then it is its tree unravelling. For example, for $I = 1$ and the bag functor $FX = \mathcal{B}X$, we have the minimizations as illustrated in Figure 9. It is easy to see that for $FX = \mathcal{P}X$ however, no coalgebra (with at least one transition) has a Mor-minimization, because one can always duplicate successor states.²

²The Mor-minimization of reachable F -coalgebras is related to the so-called F -precise factorizations [WDKH19, Def. 3.1, 3.4].

FIGURE 9. Tree unravelling for $FX = BX$

For $FX = BX$, all Mor-minimizations exist, but they are not unique up to unique isomorphism. Consider the tree unravelling $m: M \rightarrow X$ in Figure 9a. There is an isomorphism $\phi: M \rightarrow M$ that swaps the two successors of the initial state. Hence, $\phi \neq \text{id}_M$, but $m \cdot \phi = m \cdot \text{id}_M$, so M is unique up to isomorphism, but not unique up to unique isomorphism.

For proving the existence of an \mathcal{M} -minimization, we assume that \mathcal{M} is a subclass of the monomorphisms in \mathcal{K} . Under this assumption, we first establish the converse of Corollary 4.14:

Lemma 4.17. *If $\mathcal{M} \subseteq \text{Mono}$ and if the least \mathcal{M} -subobject M of X exists, then M is the \mathcal{M} -minimization of X .*

Proof. Let $m: M \rightarrow X$ be the least \mathcal{M} -subobject of X , and consider $s: S \rightarrow M$ in \mathcal{M} . Since $m \cdot s \in \mathcal{M}$, there is some $u: M \rightarrow S$ with $(m \cdot s) \cdot u = m$. Since m is monic, we obtain $s \cdot u = \text{id}_M$. Hence, s is a split-epimorphism, and together with $s \in \mathcal{M} \subseteq \text{Mono}$, s is an isomorphism. \square

Proposition 4.18. *If $\mathcal{M} \subseteq \text{Mono}$, \mathcal{K} has wide pullbacks of \mathcal{M} -morphisms, and \mathcal{K} is \mathcal{M} -wellpowered, then every object C of \mathcal{K} has an \mathcal{M} -minimization.*

Proof. Since \mathcal{K} is \mathcal{M} -wellpowered, all the \mathcal{M} -carried morphisms $m: M \rightarrow C$ form up to isomorphism a set S . The wide pullback of all $m \in S$ exists in \mathcal{K} by assumption, denote it by $\text{pr}_m: P \rightarrow M$ for $m: M \rightarrow C$. All $m' \in S$ are in \mathcal{M} and so are all pr_m by Lemma 2.16. Since, $\text{id}_C \in \mathcal{M}$, there must be some $m: M \rightarrow C$ in S such that (m, M) and (id_C, C) are isomorphic \mathcal{M} -subobjects. Hence, $p := \text{id}_m \cdot \text{pr}_m: P \rightarrow C$ represents an \mathcal{M} -subobject, and moreover the least \mathcal{M} -subobject of C , as witnessed by the projections pr_m . By Lemma 4.17, P is the minimization of C . \square

Instance 4.19. This proof directly instantiates to the proofs of the existence of the reachable subcoalgebra and simple quotient:

- (1) In the reachability case, let \mathcal{M} be a subclass of the monomorphisms, let the base category \mathcal{C} have all (set-indexed) \mathcal{M} -intersections, and let $F: \mathcal{C} \rightarrow \mathcal{C}$ preserve all (set-indexed) intersections. Then the reachable part of a given pointed coalgebra (C, c, i_C) is obtained as the intersection of all pointed subcoalgebras of (C, c, i_C) [AMMS13].

For $\mathcal{C} = \text{Set}$, and \mathcal{M} being the class of injective maps, all intersections exist. The condition that $F: \text{Set} \rightarrow \text{Set}$ preserves all intersections is mild: all finitary functors preserve all intersections ([AMM18, Proof of Lem. 8.8] or [Wiß20, Lem. 2.6.10]) and many non-finitary functors do as well, e.g. the powerset functor. An example of a functor that does not preserve all intersections is the filter functor [Gum01, Sect. 5.3].

- (2) For the existence of simple quotients, let \mathcal{E} be a subclass of the epimorphisms and let the base category \mathcal{C} be cocomplete and \mathcal{E} -cowellpowered. Then every F -coalgebra (C, c)

has a simple quotient given by the wide pushout of all quotient coalgebras ([AMMS13, Proposition 3.7], and [Gum08] for the instance $\mathcal{C} = \text{Set}$).

Every set has only a set of outgoing surjective maps, so all assumptions are met for $\mathcal{C} = \text{Set}$, \mathcal{E} containing only surjective maps, and every Set -functor F .

Remark 4.20. All observations on simple quotients also apply to pointed coalgebras: An I -pointed F -coalgebra is simple iff it is \mathcal{E} -carried-minimal in $\mathcal{K} := \text{Coalg}_I(F)^{\text{op}}$. The forgetful functor

$$\text{Coalg}_I(F) \longrightarrow \text{Coalg}(F)$$

preserves and reflects simple coalgebras and simple quotients (note that for every pointed coalgebra (C, c, i_C) , the slice categories $(C, c, i_C)/\text{Coalg}_I(F)$ and $(C, c)/\text{Coalg}(F)$ are isomorphic). For the sake of simplicity, we will not state the results explicitly for simple coalgebras in $\text{Coalg}_I(F)$.

Definition 4.21. We denote by $J: \mathcal{K}_{\min} \hookrightarrow \mathcal{K}$ the full subcategory formed by the \mathcal{M} -minimal objects of \mathcal{K} .

In the existence proof of minimal objects (Proposition 4.18) we only required (wide) pullbacks where all morphisms in the diagram are in \mathcal{M} . We obtain additional properties if we assume the pullback along \mathcal{M} -morphisms, i.e. pullbacks where only one of the two morphisms is in \mathcal{M} :

Proposition 4.22. *Suppose that pullbacks along \mathcal{M} -morphisms exist in \mathcal{K} and that every object of \mathcal{K} has an \mathcal{M} -minimization. Then $J: \mathcal{K}_{\min} \hookrightarrow \mathcal{K}$ is a coreflective subcategory. Its right-adjoint $R: \mathcal{K} \rightarrow \mathcal{K}_{\min}$ ($J \dashv R$) sends an object to its \mathcal{M} -minimization; in particular, minimization is functorial.*

Proof. The universal property of J follows directly from Lemma 4.13: To this end, it suffices to consider R as an object assignment. Given a morphism $h: M \rightarrow X$ where M is \mathcal{M} -minimal, we need to show that it factorizes uniquely through the \mathcal{M} -minimization $s: S \rightarrow X$ of D , that is $RD := S$. Since the pullback of h along s exists by assumption, Lemma 4.13 yields us the desired unique factorization $u: M \rightarrow S$ with $s \cdot u = h$. \square

Instance 4.23. For both of our main instances, this adjunction has been observed before:

- (1) If $F: \mathcal{C} \rightarrow \mathcal{C}$ preserves inverse images (w.r.t. \mathcal{M}), then pullbacks along \mathcal{M} -carried homomorphisms exist in $\text{Coalg}_I(F)$. Hence, the reachable I -pointed F -coalgebras form a coreflective subcategory of $\text{Coalg}_I(F)$, where the coreflector maps a pointed coalgebra to its reachable part [WMKD19, Thm 5.23]
- (2) The simple coalgebras form a reflective subcategory of $\text{Coalg}(F)$, and the reflector sends a coalgebra to its simple quotient, under the assumption that the base category has pushouts along \mathcal{E} -morphisms. For coalgebras in Set , the adjunction $J \dashv R$ has been shown by Gumm [Gum08, Theorem 2.3].

Corollary 4.24. *If pullbacks along \mathcal{M} -morphisms exist in \mathcal{K} and all \mathcal{M} -minimizations exist, then \mathcal{M} -minimal objects are closed under \mathcal{E} -quotients.*

Proof. Consider an \mathcal{E} -morphism $e: C \rightarrow D$ where C is \mathcal{M} -minimal. Take the adjoint transpose $f: C \rightarrow RD$ with $m \cdot f = e$ where $m: RD \rightarrow D$ is the \mathcal{M} -minimization of D :

$$\begin{array}{ccc} C & & \\ f \downarrow & \searrow e & \\ RD & \xrightarrow{m} & D \end{array}$$

Since RD is \mathcal{M} -minimal, f is in \mathcal{E} (Lemma 4.6). Moreover, $f \in \mathcal{E}$ and $m \cdot f \in \mathcal{E}$ imply $m \in \mathcal{E}$ (Remark 2.15.2), hence $m \in \mathcal{E} \cap \mathcal{M}$ is an isomorphism and D is \mathcal{M} -minimal. \square


Remark 4.25. The closure of \mathcal{M} -minimal objects under quotients also holds under slightly different assumptions. For example, closure can be shown

- (1) if pullbacks along \mathcal{M} -morphisms exist in \mathcal{K} and \mathcal{M} is a class of monomorphisms,
- (2) or if \mathcal{E} -morphisms are closed under pullbacks and all those exist in \mathcal{K} .

In the example of the factorization of a DFA-morphism (Figure 5 on p. 11), every state in (C, c) was reachable from s , and hence, every state in the quotient $e: (C, c) \rightarrow (\text{Im}(h), i)$ is reachable from $e(s)$.

Example 4.26.

- (1) If F preserves inverse images, then reachable F -coalgebras are closed under quotients [WMKD19, Cor. 5.24]. Note that if F does not preserve inverse images, then a quotient of a reachable F -coalgebra may not be reachable. For example, in (pointed) coalgebras for the monoid-valued functor $(\mathbb{R}, +, 0)^{(-)}$ there is the coalgebra quotient with $h(b_1) = h(b_2) = b$:



Since transition weights may cancel out each other ($-3 + 3 = 0$), the codomain of h is not reachable even though its domain is.

- (2) If the base category \mathcal{C} has pushouts along \mathcal{E} -morphisms, then simple F -coalgebras are closed under subcoalgebras. For $\mathcal{C} = \text{Set}$, this is obvious: if in a coalgebra (C, c) , all states are of pairwise different behaviour, then so they are in every subcoalgebra of (C, c) .

5. INTERPLAY OF MINIMALITY NOTIONS

The two main aspects of minimization we have seen – reachability and minimization for observability – are closely connected on an abstract level and also interact well as we see in the following. In order to minimize a pointed coalgebra under both aspects, we have two options: first construct the reachable part and then the simple quotient, or we first form the simple quotient and then construct its reachable part. Given the existence of pullbacks of \mathcal{M} -morphisms along arbitrary morphisms, we show in Proposition 5.1 that any order is fine.

In the abstract setting of a category \mathcal{K} with an $(\mathcal{E}, \mathcal{M})$ -factorization system we are transforming an object $C \in \mathcal{K}$ into an object C' that is \mathcal{M} -minimal in \mathcal{K} and \mathcal{E} -minimal in \mathcal{K}^{op} .

Proposition 5.1. *Suppose \mathcal{K} has an $(\mathcal{E}, \mathcal{M})$ -factorization system such that all \mathcal{M} -minimizations in \mathcal{K} and all \mathcal{E} -minimizations in \mathcal{K}^{op} exist. If \mathcal{K} has pullbacks along \mathcal{M} -morphisms and pushouts along \mathcal{E} -morphisms, then for every C in \mathcal{K} the following two constructions yield the same object:*

- (1) *The \mathcal{M} -minimization of C in \mathcal{K} followed by its \mathcal{E} -minimization in \mathcal{K}^{op} .*
- (2) *The \mathcal{E} -minimization of C in \mathcal{K}^{op} followed by its \mathcal{M} -minimization in \mathcal{K} .*

Proof. In the first approach, denote the \mathcal{M} -minimization of C by $m: R \twoheadrightarrow C$ and its \mathcal{E} -minimization by $s: R \twoheadrightarrow V$. In the other approach, denote the \mathcal{E} -minimization of C by $e: C \twoheadrightarrow Q$ and its \mathcal{M} -minimization by $t: W \twoheadrightarrow Q$:

$$\begin{array}{ccc} C & \xrightarrow{e} & Q \\ m \uparrow & & \uparrow t \\ R & \xrightarrow{s} & V \end{array}$$

We need to prove that V and W are isomorphic, making the above (then-closed) square commute. The \mathcal{M} -minimal objects form a coreflective subcategory (Proposition 4.22), so $e \cdot m$, whose domain is \mathcal{M} -minimal, factorizes through the \mathcal{M} -minimization of the codomain of $e \cdot m$, i.e. we have $h: R \rightarrow W$ with $t \cdot h = e \cdot m$. Since Q is \mathcal{E} -minimal, its \mathcal{M} -subobject W is also \mathcal{E} -minimal in \mathcal{K}^{op} (Corollary 4.24). The \mathcal{E} -minimal objects form a reflective subcategory (Proposition 4.22). Applying the reflection to $h: R \rightarrow W$, we obtain $\phi: V \rightarrow W$ with $h = \phi \cdot s$. Since V is \mathcal{E} -minimal (in \mathcal{K}^{op}), ϕ is in \mathcal{M} , and since W is \mathcal{M} -minimal, ϕ is in \mathcal{E} , and thus ϕ is an isomorphism. \square

Remark 5.2. Unfortunately, it seems very unlikely that the object obtained under both aspects in Proposition 5.1 can be described by a universal property in \mathcal{K} . Given an object C in \mathcal{K} , let C' be the object obtained from Proposition 5.1. Then in general, there is neither a morphism $C \rightarrow C'$ nor $C' \rightarrow C$ in \mathcal{K} . This will become clear when considering an example coalgebra and its minimization under both aspects (Example 5.4).

In the concrete case of F -coalgebras, a pointed coalgebra that is both simple and reachable is called a *well-pointed* coalgebra (see [AMMS13, Section 3.2]). The minimization of a pointed coalgebra under both aspects is called the *well-pointed modification* [AMMS13]: it is obtained by first forming the simple quotient and then taking its reachable subcoalgebra (i.e. item 2 in Proposition 5.1).

Instance 5.3. If $F: \mathcal{C} \rightarrow \mathcal{C}$ fulfils all assumptions from the previous Instance 4.23 (and in particular preserves inverse images), then the construction of the simple quotient and the reachability construction for F -coalgebras can be performed in any order, yielding the same well-pointed coalgebra.

In sets, the reachability computation is a simple breadth-first search [WMKD19], and hence runs in linear time. On the other hand, existing algorithms for computing the simple quotient for many **Set**-functors run in at least $n \cdot \log n$ time where n is the size of the coalgebra [GMdV21, WDMS20]. Hence, the reachability analysis should be done first whenever possible.

Example 5.4. The powerset functor $\mathcal{P}: \mathbf{Set} \rightarrow \mathbf{Set}$ preserves inverse images and arbitrary intersections, so minimization of transition systems under reachability and bisimilarity can be done in any order. Figure 10 shows an example of a pointed transition system C , whose well-pointed modification can be obtained by performing the minimization aspects in any order, both yielding the one-state transition system M . Note that there is no coalgebra homomorphism between C and M (in neither direction, as indicated by $\not\rightarrow$). This indicates that the well-pointed modification of a coalgebra C can not be described by a universal property in $\mathbf{Coalg}(\mathcal{P})$.

If F does not preserve inverse images, then in the construction of the simple quotient, transitions may cancel out each other and this may affect the reachability of states. We




FIGURE 10. Minimization of a \mathcal{P} -coalgebra under reachability and observability (i.e. bisimilarity), with no morphisms between C and M (\nrightarrow)

have seen an example for this in Example 4.26.1 where performing reachability first and observability second leads to a simple coalgebra in which states are unreachable, i.e. the result is not well-pointed. Hence, in contrast to the well-known automata minimization procedure, the minimization of a coalgebra in general has to be performed by first computing its simple quotient and secondly computing the reachable part in the simple quotient.

6. CONCLUSIONS

We have seen a common ground for minimality notions in a category with various instances in a coalgebraic setting. The abstract results about the uniqueness and the existence of the minimization instantiate to the standard results for reachability and observability of coalgebras. Most of the general results even hold if the $(\mathcal{E}, \mathcal{M})$ -factorization system is not proper. The tree unravelling of an automaton is an instance of minimization for a non-proper factorization system.

It remains for future work to relate the efficient algorithmic approaches to the minimization tasks: reachability is computed by breadth-first search [WMKD19, BKR19] and observability is computed by partition refinement algorithms [KK14, WDMS20, DMSW17]. Even though their run-time complexity differs – reachability is usually linear, whereas partition refinement algorithms are quasilinear or slower – they have striking similarities. All these algorithms compute a chain of subobjects resp. quotients on the carrier of the input coalgebra and terminate at the first element of the chain admitting a coalgebra structure compatible with the input coalgebra. It is thus likely that this relation can be made formal. A similar connection between the reachability of algebras and partition refinement on coalgebras is already known [Rot16].

Acknowledgements. The author thanks Stefan Milius and Jurriaan Rot for inspiring discussions and thanks the referees for their helpful comments. The author thanks Bálint Kocsis for finding a mistake in Figure 10, which is corrected in the present version.

REFERENCES

- [Adá05] Jiří Adámek. Introduction to coalgebra. *Theory Appl. Categ.*, 14:157–199, 2005.
- [AHS09] Jiří Adámek, Horst Herrlich, and George E. Strecker. *Abstract and Concrete Categories: The Joy of Cats*. Dover Publications, 2nd edition, 2009.

- [AM89] Peter Aczel and Nax Mendler. A final coalgebra theorem. In *Proc. Category Theory and Computer Science (CTCS)*, volume 389 of *Lecture Notes Comput. Sci.*, pages 357–365. Springer, 1989.
- [AMM18] Jiří Adámek, Stefan Milius, and Lawrence S. Moss. Fixed points of functors. *Journal of Logical and Algebraic Methods in Programming*, 95:41–81, 2018.
- [AMMS13] Jiří Adámek, Stefan Milius, Lawrence S. Moss, and Lurdes Sousa. Well-pointed coalgebras. *Logical Methods in Computer Science*, 9(3:2):51 pp., 2013.
- [Awo10] Steve Awodey. *Category Theory*. Oxford Logic Guides. OUP Oxford, 2010.
- [BBH⁺14] Filippo Bonchi, Marcello M. Bonsangue, Helle Hvid Hansen, Prakash Panangaden, Jan J. M. M. Rutten, and Alexandra Silva. Algebra-coalgebra duality in brzozowski’s minimization algorithm. *ACM Trans. Comput. Log.*, 15(1):3:1–3:29, 2014. doi:10.1145/2490818.
- [BHK01] Michel Bidoit, Rolf Hennicker, and Alexander Kurz. On the duality between observability and reachability. In Furio Honsell and Marino Miculan, editors, *Foundations of Software Science and Computation Structures, 4th International Conference (FOSSACS 2001), Held as Part of ETAPS 2001 Genova, Italy, April 2-6, 2001, Proceedings*, volume 2030 of *Lecture Notes in Computer Science*, pages 72–87. Springer, 2001. doi:10.1007/3-540-45315-6_5.
- [BK11] Adriana Balan and Alexander Kurz. Finitary functors: From set to preord and poset. In Andrea Corradini, Bartek Klin, and Corina Cirstea, editors, *Algebra and Coalgebra in Computer Science - 4th International Conference, CALCO 2011, Winchester, UK, August 30 - September 2, 2011. Proceedings*, volume 6859 of *Lecture Notes in Computer Science*, pages 85–99. Springer, 2011. doi:10.1007/978-3-642-22944-2_7.
- [BKP12] Nick Bezhanishvili, Clemens Kupke, and Prakash Panangaden. Minimization via duality. In C.-H. Luke Ong and Ruy J. G. B. de Queiroz, editors, *Logic, Language, Information and Computation - 19th International Workshop, WoLLIC 2012, Buenos Aires, Argentina, September 3-6, 2012. Proceedings*, volume 7456 of *Lecture Notes in Computer Science*, pages 191–205. Springer, 2012. doi:10.1007/978-3-642-32621-9_14.
- [BKR19] Simone Barlocco, Clemens Kupke, and Jurriaan Rot. Coalgebra learning via duality. In Mikolaj Bojanczyk and Alex Simpson, editors, *Foundations of Software Science and Computation Structures - 22nd International Conference, FOSSACS 2019, Held as Part of the European Joint Conferences on Theory and Practice of Software, ETAPS 2019, Prague, Czech Republic, April 6-11, 2019, Proceedings*, volume 11425 of *Lecture Notes in Computer Science*, pages 62–79. Springer, 2019. doi:10.1007/978-3-030-17127-8_4.
- [BSdV04] Falk Bartels, Ana Sokolova, and Erik P. de Vink. A hierarchy of probabilistic system types. *Theor. Comput. Sci.*, 327(1-2):3–22, 2004. doi:10.1016/j.tcs.2004.07.019.
- [DHS03] Salem Derisavi, Holger Hermanns, and William H. Sanders. Optimal state-space lumping in markov chains. *Inf. Process. Lett.*, 87(6):309–315, 2003. doi:10.1016/S0020-0190(03)00343-0.
- [DMSW17] Ulrich Dorsch, Stefan Milius, Lutz Schröder, and Thorsten Wißmann. Efficient coalgebraic partition refinement. In Roland Meyer and Uwe Nestmann, editors, *28th International Conference on Concurrency Theory, CONCUR 2017, September 5-8, 2017, Berlin, Germany*, volume 85 of *LIPICs*, pages 32:1–32:16. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 2017. doi:10.4230/LIPICs.CONCUR.2017.32.
- [DPP04] Agostino Dovier, Carla Piazza, and Alberto Policriti. An efficient algorithm for computing bisimulation equivalence. *Theor. Comput. Sci.*, 311(1-3):221–256, 2004. doi:10.1016/S0304-3975(03)00361-X.
- [GMdV21] Jan Friso Groote, Jan Martens, and Erik de Vink. Bisimulation by Partitioning Is $\Omega((m+n) \log n)$. In Serge Haddad and Daniele Varacca, editors, *32nd International Conference on Concurrency Theory (CONCUR 2021)*, volume 203 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 31:1–31:16, Dagstuhl, Germany, 2021. Schloss Dagstuhl – Leibniz-Zentrum für Informatik. doi:10.4230/LIPICs.CONCUR.2021.31.
- [GS01] H. Peter Gumm and Tobias Schröder. Monoid-labeled transition systems. In *Coalgebraic Methods in Computer Science, CMCS 2001*, volume 44(1) of *ENTCS*, pages 185–204. Elsevier, 2001.
- [GS05] H. Peter Gumm and Tobias Schröder. Types and coalgebraic structure. *algebra universalis*, 53(2):229–252, 2005. doi:10.1007/s00012-005-1888-2.
- [Gum01] H. Peter Gumm. Functors for coalgebras. *Algebra Universalis*, 45(2):135–147, April 2001. doi:10.1007/s00012-001-8156-x.

- [Gum08] H. Peter Gumm. On minimal coalgebras. *Applied Categorical Structures*, 16(3):313–332, June 2008. doi:10.1007/s10485-007-9116-1.
- [HJS06] Ichiro Hasuo, Bart Jacobs, and Ana Sokolova. Generic trace theory. In Neil Ghani and John Power, editors, *Proceedings of the Eighth Workshop on Coalgebraic Methods in Computer Science, CMCS 2006, Vienna, Austria, March 25-27, 2006*, volume 164 of *Electronic Notes in Theoretical Computer Science*, pages 47–65. Elsevier, 2006. doi:10.1016/j.entcs.2006.06.004.
- [Hop71] John Hopcroft. An $n \log n$ algorithm for minimizing states in a finite automaton. In *Theory of Machines and Computations*, pages 189–196. Academic Press, 1971.
- [Ihr03] Thomas Ihringer. *Allgemeine Algebra. Mit einem Anhang über Universelle Coalgebra von H. P. Gumm*, volume 10 of *Berliner Studienreihe zur Mathematik*. Heldermann Verlag, 2003.
- [Jac17] Bart Jacobs. *Introduction to Coalgebras: Towards Mathematics of States and Observations*. Cambridge University Press, 2017.
- [JR97] Bart Jacobs and Jan Rutten. A tutorial on (co)algebras and (co)induction. *Bull. EATCS*, 62:222–259, 1997.
- [KK14] Barbara König and Sebastian Küpper. Generic partition refinement algorithms for coalgebras and an instantiation to weighted automata. In Josep Díaz, Ivan Lanese, and Davide Sangiorgi, editors, *Theoretical Computer Science - 8th IFIP TC 1/WG 2.2 International Conference, TCS 2014, Rome, Italy, September 1-3, 2014. Proceedings*, volume 8705 of *Lecture Notes in Computer Science*, pages 311–325. Springer, 2014. doi:10.1007/978-3-662-44602-7_24.
- [KPSdV13] Alexander Kurz, Daniela Petrisan, Paula Severi, and Fer-Jan de Vries. Nominal coalgebraic data types with applications to lambda calculus. *Log. Methods Comput. Sci.*, 9(4), 2013. doi:10.2168/LMCS-9(4:20)2013.
- [KS13] Bartek Klin and Vladimiro Sassone. Structural operational semantics for stochastic and weighted transition systems. *Inf. Comput.*, 227:58–83, 2013.
- [Kur00] Alexander Kurz. *Logics for Coalgebras and Applications to Computer Science*. PhD thesis, Ludwig-Maximilians-Universität München, 7 2000. <https://www.cs.le.ac.uk/people/akurz/LMU/Diss/all-s.ps.gz>.
- [MPW19] Stefan Milius, Dirk Pattinson, and Thorsten Wißmann. A new foundation for finitary corecursion and iterative algebras. *Information and Computation*, page 104456, 09 2019. doi:10.1016/j.ic.2019.104456.
- [MSW16] Stefan Milius, Lutz Schröder, and Thorsten Wißmann. Regular behaviours with names - on rational fixpoints of endofunctors on nominal sets. *Appl. Categorical Struct.*, 24(5):663–701, 2016. doi:10.1007/s10485-016-9457-8.
- [PT87] Robert Paige and Robert Endre Tarjan. Three partition refinement algorithms. *SIAM J. Comput.*, 16(6):973–989, 1987. doi:10.1137/0216062.
- [Rot16] Jurriaan Rot. Coalgebraic minimization of automata by initiality and finality. In Lars Birkedal, editor, *The Thirty-second Conference on the Mathematical Foundations of Programming Semantics, MFPS 2016, Carnegie Mellon University, Pittsburgh, PA, USA, May 23-26, 2016*, volume 325 of *Electronic Notes in Theoretical Computer Science*, pages 253–276. Elsevier, 2016. doi:10.1016/j.entcs.2016.09.042.
- [Rut00] Jan J. M. M. Rutten. Universal coalgebra: a theory of systems. *Theor. Comput. Sci.*, 249(1):3–80, 2000. doi:10.1016/S0304-3975(00)00056-6.
- [TP97] Daniele Turi and Gordon D. Plotkin. Towards a mathematical operational semantics. In *Proceedings, 12th Annual IEEE Symposium on Logic in Computer Science, Warsaw, Poland, June 29 - July 2, 1997*, pages 280–291. IEEE Computer Society, 1997. doi:10.1109/LICS.1997.614955.
- [Trn71] Věra Trnková. On a descriptive classification of set functors I. *Commentationes Mathematicae Universitatis Carolinae*, 12(1):143–174, 1971.
- [Val09] Antti Valmari. Bisimilarity minimization in $O(m \log n)$ time. In Giuliana Franceschinis and Karsten Wolf, editors, *Applications and Theory of Petri Nets, 30th International Conference, PETRI NETS 2009, Paris, France, June 22-26, 2009. Proceedings*, volume 5606 of *Lecture Notes in Computer Science*, pages 123–142. Springer, 2009. doi:10.1007/978-3-642-02424-5_9.
- [VF10] Antti Valmari and Giuliana Franceschinis. Simple $O(m \log n)$ time markov chain lumping. In Javier Esparza and Rupak Majumdar, editors, *Tools and Algorithms for the Construction and Analysis of Systems, 16th International Conference, TACAS 2010, Held as Part of the Joint European Conferences on Theory and Practice of Software, ETAPS 2010, Paphos, Cyprus,*

- March 20-28, 2010. *Proceedings*, volume 6015 of *Lecture Notes in Computer Science*, pages 38–52. Springer, 2010. doi:10.1007/978-3-642-12002-2_4.
- [WDKH19] Thorsten Wißmann, Jérémy Dubut, Shin-ya Katsumata, and Ichiro Hasuo. Path category for free - open morphisms from coalgebras with non-deterministic branching. In Mikolaj Bojanczyk and Alex Simpson, editors, *Foundations of Software Science and Computation Structures - 22nd International Conference (FOSSACS 2019), Held as Part of ETAPS 2019, Prague, Czech Republic, April 6-11, 2019, Proceedings*, volume 11425 of *Lecture Notes in Computer Science*, pages 523–540. Springer, 2019. doi:10.1007/978-3-030-17127-8_30.
- [WDMS20] Thorsten Wißmann, Ulrich Dorsch, Stefan Milius, and Lutz Schröder. Efficient and modular coalgebraic partition refinement. *Log. Methods Comput. Sci.*, 16(1), 2020. doi:10.23638/LMCS-16(1:8)2020.
- [Wiß20] Thorsten Wißmann. *Coalgebraic Semantics and Minimization in Sets and Beyond*. Phd thesis, Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU), 2020. URL: <https://opus4.kobv.de/opus4-fau/frontdoor/index/index/docId/14222>.
- [Wiß21] Thorsten Wißmann. Minimality notions via factorization systems. In *Proc. 9th Conference on Algebra and Coalgebra in Computer Science (CALCO 2021)*, volume 211 of *LIPICs*, pages 24:1–24:21, 09 2021. doi:10.4230/LIPICs.CALCO.2021.24.
- [WMKD19] Thorsten Wißmann, Stefan Milius, Shin-ya Katsumata, and Jérémy Dubut. A coalgebraic view on reachability. *Commentationes Mathematicae Universitatis Carolinae*, 60:4:605–638, 12 2019. doi:10.14712/1213-7243.2019.026.

APPENDIX A. PROOFS OF STANDARD RESULTS

Proof of Lemma 2.6. Let $c_i: UDi \rightarrow FUDi$ be the coalgebra structure of $Di \in \text{Coalg}(F)$ for every $i \in \mathcal{D}$. Consider the colimit of $UD: \mathcal{D} \rightarrow \mathcal{C}$

$$UDi \xrightarrow{\text{inj}_i} \text{colim}(UD) \quad \text{for every } i \in \mathcal{D}$$

and apply F to it. Precomposition with c_i yields

$$UDi \xrightarrow{c_i} FUDi \xrightarrow{F\text{inj}_i} F \text{colim}(UD) \quad \text{for every } i \in \mathcal{D}.$$

This is a cocone for the diagram UD because for all $h: i \rightarrow j$ in \mathcal{D} the outside of the following diagram commutes:

$$\begin{array}{ccc} UDi & \xrightarrow{c_i} & FUDi \\ UDh \downarrow & \text{Dh coalgebra} & \downarrow FUDh \\ & \text{morphism} & \\ U Dj & \xrightarrow{c_j} & FUDj \xrightarrow{F\text{inj}_j} F \text{colim}(UD) \end{array}$$

Thus we obtain a coalgebra structure $u: \text{colim}(UD) \rightarrow F \text{colim}(UD)$. Since u is a cocone-morphism, every inj_i is an F -coalgebra morphism.

For any other coalgebra structure $u': \text{colim}(UD) \rightarrow F \text{colim}(UD)$ for which every inj_i is an F -coalgebra morphism, we have $u = u'$ by the colimit $\text{colim}(UD)$. Hence, u is the only coalgebra structure that making all inj_i coalgebra morphisms.

In order to show that $(\text{colim}(UD), u)$ is the colimit of $D: \mathcal{D} \rightarrow \text{Coalg}(F)$, consider another cocone $(m_i: Di \rightarrow (E, e))_{i \in \mathcal{D}}$.

$$\begin{array}{ccc} \text{colim}(UD) & \overset{w}{\dashrightarrow} & E \\ u \downarrow & & \downarrow e \\ F \text{colim}(UD) & \xrightarrow{Fw} & FE \end{array}$$


In \mathcal{C} , we obtain a cocone morphism $w: \text{colim}(UD) \rightarrow E$. With a similar verification as before, $(e \cdot m_i: UDi \rightarrow FE)_{i \in \mathcal{D}}$ is a cocone for UD , and thus both $e \cdot w$ and $Fw \cdot u: \text{colim}(UD) \rightarrow FE$ are cocone morphisms (for UD). Since $\text{colim}(UD)$ is the colimit, this implies that $e \cdot w = Fw \cdot u$, i.e. $w: (\text{colim}(UD), u) \rightarrow (E, e)$ is a coalgebra morphism. Since $U: \text{Coalg}(F) \rightarrow \mathcal{C}$ is faithful, w is the unique cocone morphism, and so $(\text{colim} UD, u)$ is indeed the colimit of D . \square

Proof of Lemma 2.16. Consider the $(\mathcal{E}, \mathcal{M})$ -factorization of pr_j into $e: P \twoheadrightarrow C$ and $m: C \twoheadrightarrow A_j$ with $\text{pr}_j = m \cdot e$. On the image, we define a cone structure $(c_i: C \rightarrow A_i)_{i \in I}$ by $c_j = m$ and for every $i \in I \setminus \{j\}$ by the diagonal fill-in:

$$\begin{array}{ccc} P & \xrightarrow{e} & C \xrightarrow{c_j} A_j \\ \text{pr}_i \downarrow & \swarrow c_i & \downarrow f_j \\ A_i & \xrightarrow{f_i} & B \end{array} \quad \text{for all } i \in I \setminus \{j\}.$$

The diagonal c_i is induced, because $f_i \in \mathcal{M}$ for all $i \in I \setminus \{j\}$. The family $(c_i)_{i \in I}$ forms a cone for the wide pullback, because for all $i, i' \in I$ we have $f_i \cdot c_i = f_j \cdot c_j = f_{i'} \cdot c_{i'}$. This

makes e a cone morphism, because $c_i \cdot e = \text{pr}_i$ for all $i \in I$. Moreover, the limiting cone P induces a cone morphism $s: C \rightarrow P$ and we have $s \cdot e = \text{id}_P$. Consider the commutative diagrams:



The parts marked by $(*)$ commute because e and s are cone morphisms. Since the diagonal fill-in in Definition 2.10.3 is unique, we have $e \cdot s = \text{id}_C$. Thus, e is an isomorphism, and $\text{pr}_j = c_j \cdot e$ is in \mathcal{M} , as desired. □